

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7248	(370/400-401 370/352-356).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:50
L2	1336	1 and (voip (voice adj2 (ip internet)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:51
L3	636	2 and (call with (setup set-up (set adj1 up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 13:52

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6399	voice and internet and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 14:34
S2	1089	(voice and internet and packet) and (gateway and (setup or "set-up"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 14:35
S3	945	((voice and internet and packet) and (gateway and (setup or "set-up"))) and (connection and address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 14:35
S4	131	((((voice and internet and packet) and (gateway and (setup or "set-up")))) and (connection and address)) and (voip and route)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 14:37
S5	215	(voip and (call with (setup or "set-up")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 14:38
S6	64	(voip and ((call with (setup or "set-up")))same gateway))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:06
S7	1238	thornton.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:06
S8	4	thornton.inv. and (call with (setup or set-up or "set up"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:08
S9	136	(bhatia or suh or chen).inv. and (call with (setup or set-up or "set up"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:09

S10	30	((bhatia or suh or chen).inv. and (call with (setup or set-up or "set up"))) and ((voice with internet) or voip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:10
S11	11	((bhatia or suh or chen).inv. and (call with (setup or set-up or "set up"))) and ((voice with internet) or voip)) and gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:11
S12	1	((bhatia or suh or chen).inv. and (call with (setup or set-up or "set up"))) and ((voice with internet) or voip)) and quintum.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:11
S13	65	((voip and (call with (setup or "set-up")))) and (370/352-356 or 370/400-401).ccs.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:12
S14	2	"6069890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:19
S15	0	kalmanek.inv. and (voip or (voice with internet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:20
S16	0	kalmanek.inv. and (voip or (voice with internet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:20
S17	0	kalmanek.inv. and (voip or (voice with internet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:20
S18	35	kalmanek.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:24
S19	2	"6,324,279".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/27 15:24

S20	2	"6,324,279".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/30 08:37
S21	2	"6,069,890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/30 08:37
S22	2	"6,069,890".pn. and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/30 08:59
S23	0	"6,069,890".pn. and (delet\$3 or eras\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/30 08:59
S24	0	"6,069,890".pn. and (delet\$3 or eras\$3 or remov\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/30 09:05
S25	2	"6,389,005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/30 10:14
S26	1	"6,069,890".pn. and "112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/30 10:14
S27	114	((voice and internet and packet) and (gateway and (setup or "set-up"))) and (connection and address)) and (voip and route)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/09/30 10:46
S28	131	((voice and internet and packet) and (gateway and (setup or "set-up"))) and (connection and address)) and (voip and route)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 10:47
S29	53	((voice and internet and packet) and (gateway and (setup or "set-up"))) and (connection and address)) and (voip and route)) and (370/352-356 or 370/400-401).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/09/30 10:47

S30	1	"6,069,890".pn.	USPAT	OR	OFF	2003/05/02 13:32
S31	1	"6,069,890".pn. and (destination with gateway)	USPAT	OR	ON	2003/05/02 13:37
S32	1	"6,069,890".pn. and ("104" same "116")	USPAT	OR	ON	2003/05/02 14:23
S33	47	levitan.inv.	USPAT	OR	ON	2003/05/02 14:24
S34	3	levitan.inv. and (dmitry)	USPAT	OR	ON	2003/05/02 14:58
S35	1	"6,069,890".pn. and ("120")	USPAT	OR	ON	2003/05/02 15:03
S36	1	"6,069,890".pn. and ("116")	USPAT	OR	ON	2003/05/02 15:18
S37	1	"6,069,890".pn. and ("116" ccis)	USPAT	OR	ON	2003/05/02 15:20
S38	1	"6,069,890".pn. and ("116" same ("114" "118" "127"))	USPAT	OR	ON	2003/05/02 15:36
S39	1	"6,069,890".pn. and ("112" same (address same number))	USPAT	OR	ON	2003/05/02 15:36
S40	1	"6069890".pn.	USPAT	OR	OFF	2003/05/19 10:45
S41	1	"6069890".pn. and "112"	USPAT	OR	OFF	2003/05/19 11:31
S42	1	"6069890".pn. and database	USPAT	OR	OFF	2003/05/19 13:25
S43	0	"6069890".pn. and (fail\$4 error)	USPAT	OR	ON	2003/05/19 15:11
S44	1	"6069890".pn. and "150"	USPAT	OR	ON	2003/05/19 15:27
S45	0	"6069890".pn. and "fig. 2"	USPAT	OR	ON	2003/05/19 15:27
S46	60	(alternat\$3 with path)same (call with (setup or "set-up"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/20 15:09
S47	2	"6069890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 10:16
S48	1	"6069890".pn. and "144"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 11:24
S49	1	"6069890".pn. and "120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 10:22
S50	1	"6069890".pn. and gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 10:26

S51	34	lec same (pstn pbx)same gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 10:42
S52	203	(pstn same pbx)same gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 10:43
S53	0	"6069890".pn. and "84"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 13:24
S54	18	"steering number" "steering numbers"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/05/21 13:25
S55	210015	ip address with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 09:18
S56	6435	(ip adj1 address) with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 09:18
S57	1090	((ip adj1 address) with number)with (table list\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 09:19
S58	222	((ip adj1 address) with number)with (table list\$3)with rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 09:21
S59	179	((ip adj1 address) with number)with (table list\$3)with (gateway router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 09:48
S60	0	((ip adj1 address) with number)with (table list\$3)with (gateway router)) and volt.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 09:49

S61	5	((ip adj1 address) with number)with (table list\$3)with (gateway router)) and voit.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 10:10
S62	2	"6157648".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 10:11
S63	0	"6157648".pn. and ("fig. 3" "fig. 18")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 10:11
S64	1	"6157648".pn. and ("fig." (((ip adj1 address) with number)with (table list\$3)) "fig. 18")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 10:21
S65	0	"6157648".pn. and "349"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 12:11
S66	91	(ccis stp)with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 12:15
S67	0	"6157648".pn. and ("80" same "84")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 12:11
S68	2	"6069890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 12:11
S69	0	"6069890".pn. and ("80" same "84")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 12:11
S70	1	"6069890".pn. and ("80" "84")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 12:45

S71	36	(ccis)with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 12:17
S72	75	(stp)with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 12:17
S73	1	"6069890".pn. and (ring\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:11
S74	240	(delet\$3 remov\$3)with (telephone phone)with number with (time period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:12
S75	37	(delet\$3 remov\$3)with (telephone phone)with number with (time period) with (table list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:29
S76	3	ip with (setup set-up) with fail\$3 with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:37
S77	2	"6389005".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 14:40
S78	102	ip with fail\$3 with back\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 15:19
S79	780	updat\$3 adj1 rout\$3 adj1 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 15:19
S80	126	(updat\$3 adj1 rout\$3 adj1 table ) with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/28 15:19



S81	3	redial\$3 with fail\$4 with (setup or "set-up")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/30 13:16
S82	2	"6069890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 12:40
S83	96	kalmanek.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 12:40
S84	23	kalmanek.inv.	USPAT	OR	ON	2004/11/23 13:06
S85	9	S84 and bti	USPAT	OR	ON	2004/11/23 13:45
S86	1	"6574266".pn.	USPAT	OR	ON	2004/11/23 14:14
S87	263	(internet ip) and (rout\$3 with (area adj1 code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:18
S88	2	"6584093".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:18
S89	2	S88 and (rout\$3 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:19
S90	2	S88 and ((rout\$3 with table) same address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:47
S91	603	"e.164"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:47
S92	23	"e.164" same (rout\$3 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:51

S93	101	"e.164" same (table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:47
S94	67	S93 and (gateway bridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:51
S95	54	S94 not S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:04
S96	2	"6584093".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:04
S97	2	S96 and gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 13:04
S98	2	"6,069,890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 11:43
S99	1	S98 and busy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 11:44